
Proline med 1 ristedel, med stålkassette

GoGetNo : 6942

Family Types Preset

1. Type – PLSK 03 05/00

The screenshot shows a 'Family Types' dialog box with a table of parameters. The table is organized into several categories: Materials and Finishes, Dimensions, Identity Data, Energy Analysis, and Other. The 'Name' field at the top is set to 'PL07 03 5/0'. The table columns are Parameter, Value, and Formula. The 'Other' section contains the most complex formulas, including conditions for TP values.

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7025 F	=
Frame	RAL 7024	=
Dimensions		
Width Side	144.0	=
Width	83.0	=
Length	1000.0	=
Depth	-100.0	=
Identity Data		
URL	http://www.mein	=
Model	PL07 03 5/0	=
Manufacturer	Meinertz	= "Meinertz"
Keynote	PL07 03 5/0	=
GoGetNo	6942	>6942
Type Comments		=
Description		=
Assembly Code		=
Cost		=
Energy Analysis		
Thermal Performance	145.000000	=CTP * Length / 1000 mm
Other		
Width Inner Side Support	133.0	=RW1 - Frame Offset + 13 mm
Width Inner Side	120.0	=RW1 - Frame Offset
Width Inner Main	96.0	=RW - Frame Offset + 37 mm
TP	3	=
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RW1	144.0	=(Count Grill Side * 24 mm) + Frame Offset
RW	83.0	=(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Side	5	=((Width Side - Frame Offset) / 24 mm)
Count Grill Main	3	=(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	145	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(T

Figure A.01
Type - PLSK 03 05/00
Family Parameter Reference

2. Type – PLSK 04 05/00

Name: PLSK 04 5/0

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7025 F	=
Frame	RAL 7024	=
Dimensions		
Width Side	144.0	=
Width	107.0	=
Length	1000.0	=
Depth	-100.0	=
Identity Data		
URL	http://www.mein	=
Model	PL07 04 5/0	=
Manufacturer	Meinertz	= "Meinertz"
Keynote	PL07 04 5/0	=
GoGetNo	6942	=6942
Type Comments		=
Description		=
Assembly Code		=
Cost		=
Energy Analysis		
Thermal Performance	191.000000	=CTP * Length / 1000 mm
Other		
Width Inner Side Support	133.0	=RW1 - Frame Offset + 13 mm
Width Inner Side	120.0	=RW1 - Frame Offset
Width Inner Main	120.0	=RW - Frame Offset + 37 mm
TP	4	=
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RW1	144.0	=(Count Grill Side * 24 mm) + Frame Offset
RW	107.0	=(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Side	5	=((Width Side - Frame Offset) / 24 mm)
Count Grill Main	4	=(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Convec Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	191	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(T

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

Figure A.02
Type - PLSK 04 05/00
Family Parameter Reference

3. Type – PLSK 05 05/00




Figure A.03
Type - PLSK 05 05/00
Family Parameter Reference

4. Type – PLSK 06 06/00

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7025 F	=
Frame	RAL 7024	=
Dimensions		
Width Side	168.0	=
Width	155.0	=
Length	1000.0	=
Depth	-100.0	=
Identity Data		
URL	http://www.mein	=
Model	PL07 06 6/0	=
Manufacturer	Meinertz	= "Meinertz"
Keynote	PL07 06 6/0	=
GoGetNo	6942	=6942
Type Comments		=
Description		=
Assembly Code		=
Cost		=
Energy Analysis		
Thermal Performance	262.000000	=CTP * Length / 1000 mm
Other		
Width Inner Side Support	157.0	=RW1 - Frame Offset + 13 mm
Width Inner Side	144.0	=RW1 - Frame Offset
Width Inner Main	168.0	=RW - Frame Offset + 37 mm
TP	6	=
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RW1	168.0	=(Count Grill Side * 24 mm) + Frame Offset
RW	155.0	=(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Side	6	=(Width Side - Frame Offset) / 24 mm
Count Grill Main	6	=(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Convect Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	262	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(T

Family Types

New...
Rename...
Delete

Parameters

Add...
Modify...
Remove

OK Cancel Apply Help

Figure A.04
Type - PLSK 06 06/00
Family Parameter Reference

