

# Proline med 2 ristdele -45

## GoGetNo : 7018

### Family Types Preset

#### 1. Type – PL07 08 5/3

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	85.0	
Width	179.0	
Width Right Si	133.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 08 5/3	
Manufacturer	Meinertz	
Keynote	PL07 08 5/3	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	284.349000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	120.0	RWR - Frame Offset
Width Inner M	253.0	RW + 37 mm * 2
Width Inner Le	72.0	RWL - Frame Offset
Total Width	397.0	RW + RWL + RWR
Total Length	897.0	RL + Total Width
TP	8	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	85.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	133.0	Count Grill Right Side * 24 mm + Frame Offset
RW	179.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	5	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	8	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	3	((Width Left Side - Frame Offset) / 24 mm)
Count Convec	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	317	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Buttons: New..., Rename..., Delete, Add..., Modify..., Remove

Buttons: OK, Cancel, Apply, Help

**Figure A.01**  
Type - PL07 08 5/3  
Family Parameter Reference

## 2. Type – PL07 09 5/4

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	109.0	
Width	203.0	
Width Right Si	133.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 09 5/4	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 09 5/4	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	320.355000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	120.0	RWR - Frame Offset
Width Inner M	277.0	RW + 37 mm * 2
Width Inner Le	96.0	RWL - Frame Offset
Total Width	445.0	RW + RWL + RWR
Total Length	945.0	RL + Total Width
TP	9	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	109.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	133.0	Count Grill Right Side * 24 mm + Frame Offset
RW	203.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	5	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	9	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	4	((Width Left Side - Frame Offset) / 24 mm)
Count Convect	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	339	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, 0)))
Big	<input checked="" type="checkbox"/>	

Family Types:

Parameters:

**Figure A.02**  
Type - PL07 09 5/4  
Family Parameter Reference

### 3. Type – PL07 10 5/5

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	133.0	
Width	227.0	
Width Right Si	133.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 10 5/5	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 10 5/5	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	356.487000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	120.0	RWR - Frame Offset
Width Inner M	301.0	RW + 37 mm * 2
Width Inner Le	120.0	RWL - Frame Offset
Total Width	493.0	RW + RWL + RWR
Total Length	993.0	RL + Total Width
TP	10	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	133.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	133.0	Count Grill Right Side * 24 mm + Frame Offset
RW	227.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	5	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	10	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	5	((Width Left Side - Frame Offset) / 24 mm)
Count Convec	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	353	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Family Types

New...  
Rename...  
Delete

Parameters

Add...  
Modify...  
Remove

OK Cancel Apply Help

**Figure A.03**  
Type - PL07 10 5/5  
Family Parameter Reference

#### 4. Type – PL07 11 6/5

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	133.0	
Width	251.0	
Width Right Si	157.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 11 6/5	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 11 6/5	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	397.662000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	144.0	RWR - Frame Offset
Width Inner M	325.0	RW + 37 mm * 2
Width Inner Le	120.0	RWL - Frame Offset
Total Width	541.0	RW + RWL + RWR
Total Length	1041.0	RL + Total Width
TP	11	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	133.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	157.0	Count Grill Right Side * 24 mm + Frame Offset
RW	251.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	6	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	11	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	5	((Width Left Side - Frame Offset) / 24 mm)
Count Convec	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	382	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Family Types:

Parameters:

**Figure A.04**  
Type - PL07 11 6/5  
Family Parameter Reference



## 5. Type – PL07 12 6/6

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	157.0	
Width	275.0	
Width Right Si	157.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 12 6/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 12 6/6	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	439.956000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	144.0	RWR - Frame Offset
Width Inner M	349.0	RW + 37 mm * 2
Width Inner Le	144.0	RWL - Frame Offset
Total Width	589.0	RW + RWL + RWR
Total Length	1089.0	RL + Total Width
TP	12	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	157.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	157.0	Count Grill Right Side * 24 mm + Frame Offset
RW	275.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	6	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	12	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	6	((Width Left Side - Frame Offset) / 24 mm)
Count Convect	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	404	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Family Types:

Parameters:

OK Cancel Apply Help

**Figure A.05**  
Type - PL07 12 6/6  
Family Parameter Reference

## 6. Type – PL07 13 7/6

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	157.0	
Width	299.0	
Width Right Si	181.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 13 7/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 13 7/6	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	482.089000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	168.0	RWR - Frame Offset
Width Inner M	373.0	RW + 37 mm * 2
Width Inner Le	144.0	RWL - Frame Offset
Total Width	637.0	RW + RWL + RWR
Total Length	1137.0	RL + Total Width
TP	13	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	157.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	181.0	Count Grill Right Side * 24 mm + Frame Offset
RW	299.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	7	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	13	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	6	((Width Left Side - Frame Offset) / 24 mm)
Count Convec	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	424	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Family Types:

Parameters:

OK Cancel Apply Help

**Figure A.06**  
Type - PL07 13 7/6  
Family Parameter Reference

## 7. Type – PL07 14 7/7

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7024 G	
Frame	RAL 7024	
<b>Dimensions</b>		
Width Left Sid	181.0	
Width	323.0	
Width Right Si	181.0	
Length	500.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.meinertz.	
Model	PL07 13 7/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 13 7/6	
GoGetNo	7018	7018
Type Comme		
Description		
Assembly Co		
Cost		
<b>Energy Analysis</b>		
Thermal Perfo	526.140000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner Ri	158.0	RWR - Frame Offset
Width Inner M	397.0	RW + 37 mm * 2
Width Inner Le	168.0	RWL - Frame Offset
Total Width	685.0	RW + RWL + RWR
Total Length	1185.0	RL + Total Width
TP	14	
Side Grill Leng	452.0	RL - (2 * Frame Offset) - 22 mm
RWL	181.0	Count Grill Left Side * 24 mm + Frame Offset
RWR	181.0	Count Grill Right Side * 24 mm + Frame Offset
RW	323.0	(Count Grill Main - 1) * 24 mm + 11 mm
RL	500.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Frame Offset	13.0	13 mm
Count Side Su	2	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Left Su	3	(Total Length - 200 mm) / 600 mm + 1.49
Count Grill Rig	7	((Width Right Side - Frame Offset) / 24 mm)
Count Grill Ma	14	((Width - 11 mm) / 24 mm) + 1
Count Grill Le	7	((Width Left Side - Frame Offset) / 24 mm)
Count Convec	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Gr	463.0	RL - (2 * Frame Offset) - 11 mm
CTP	444	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 33
Big	<input checked="" type="checkbox"/>	

Family Types:

Parameters:

OK Cancel Apply Help

**Figure A.07**  
Type - PL07 14 7/7  
Family Parameter Reference