
Proline med 2 ristdele, med stålkasse

GoGetNo: 6943

Drawing Specification of Proline med 2 ristdele, med stålkasse

❖ Family with single view of 3d with Variation
Detail

❖ Mechanical equipment family

❖ 7 Family types :

1. PLSK 08 05/03
2. PLSK 09 05/04
3. PLSK 10 05/05
4. PLSK 11 06/05
5. PLSK 12 06/06
6. PLSK 13 07/06
7. PLSK 14 07/07

I. Family Variation







Figure 01
Family Perspective




PLSK 08 05/03 on floor




PLSK 09 05/04 on floor




PLSK 10 05/05 on floor




PLSK 11 06/05 on floor



PLSK 12 06/06 on floor



PLSK 13 07/06 on floor



PLSK 14 07/07 on floor

II. Family Parameter and Code




Figure 03
Family Plan Reference




Figure 04
Family Left Reference




Figure 05
Family Front Reference

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	:
Frame	RAL 7024	:
Dimensions		
Width Left Side	96.0	:
Width	179.0	:
Width Right Side	144.0	:
Length	1000.0	:
Depth	-100.0	:
Identity Data		
URL	http://www.me	:
Model	PL07 08 5/3	:
Manufacturer	Meinertz	:"Meinertz"
Keynote	PL07 08 5/3	:
GoGetNo	6943	:-6943
Assembly Code		:
Type Comments		:
Description		:
Cost		:
Energy Analysis		
Thermal Performance	317.000000	:-CTP * Length / 1000 mm
Other		
Width Inner Right Side	133.0	:-RW1 - 11 mm
Width Inner Main	179.0	:-RW
Width Inner Left Side	85.0	:-RW2 - 11 mm
TP	8	:
Side Grill 2 Support	85.0	:-RW2 - 11 mm
Side Grill 1 Support	133.0	:-RW1 - 11 mm
Side Grill Length	930.0	:-RL - (2 * Frame Offset) - 22 mm
RL	1000.0	:-if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	96.0	:-Count Grill Left Side * 24 mm + Frame Offset
RW1	144.0	:-Count Grill Right Side * 24 mm + Frame Offset
RW	179.0	:-((Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	:-24 mm
Count Side Support	3	:-((RL - (2 * Frame Offset) - 200 mm) / 600 mm) + 1.49
Count Grill Right Side	5	:-((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	8	:-(((Width - 11 mm) / 24 mm) + 1
Count Grill Left Side	3	:-((Width Left Side - 24 mm) / 24 mm)
Count Convec Support	2	:-((RL - (2 * Frame Offset) - 300 mm) / 2500 mm) + 1.49
Convection Support	253.0	:-RW + 37 mm * 2
Convection Grill Length	941.0	:-RL - (2 * Frame Offset) - 11 mm
CTP	317	:-if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Family Types:

Parameters:

OK Cancel Apply Help

Figure 06

Family Parameter Reference